

SWTimerCallback(): CheckNeedISATimer returned 2  
CIsakmpSocket::OnReceive(): No CSA consumed the packet  
OnLogMessage(): 'An incoming ISAKMP packet from 69.215.65.113 was ignored.' "  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer

SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
CIsakmpSocket::OnReceive(): No CSA consumed the packet  
OnLogMessage(): 'An incoming ISAKMP packet from 69.215.65.113 was ignored.' "  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2

SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer

SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
Interface 0x00000002 has been deleted: ip = 0.0.0.0  
SWTimerCallback(): MonitorIP returned 2  
OnLogMessage(): 'Interface 0x00000002 has been removed from the system.' "  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
CInterface::GetIPInfo(): No entry in the system IP address table was found with index 2  
CInterface::GetIPInfo(): No entry in the system IP address table was found with index 2  
CInterface::GetIPInfo(): No entry in the system IP address table was found with index 2  
Removing connection to CATS CO  
RemoveAllSATimers(): matched entry 0x00FF80D0 - deleting  
RemoveAllSATimers(): matched entry 0x00FEAE68 - deleting  
CIsakmpSocket::Unregister(): matched entry 0x00FF8DF8 - deleting  
CIsakmpSocket::Unregister(): matched entry 0x00FF8DF8 - deleting  
DeleteSADBEntries(): deleting in = 3, out = 4  
RemoveAllSATimers(): matched entry 0x00FE1150 - deleting  
RemoveAllSATimers(): matched entry 0x009BC7B0 - deleting  
CIsakmpSocket::Unregister(): matched entry 0x00FEE6A8 - deleting  
CIsakmpSocket::Unregister(): matched entry 0x00FEE6A8 - deleting  
RemoveAllSWTimers(): matched entry 0x0000000D - deleting  
RemoveAllSWTimers(): matched entry 0x00000008 - deleting  
RemoveAllSWTimers(): matched entry 0x0000000C - deleting

RemoveAllSWTimers(): matched entry 0x0000000B - deleting  
DeleteIPMonitor(): matched entry 0x00FE5E78 - deleting  
OnLogMessage(): 'Sending phase 2 delete for 192.168.10.0/255.255.255.0.' '69.215.65.113'  
OnLogMessage(): 'Sending phase 1 delete.' '69.215.65.113'  
OnLogMessage(): 'The connection "CATS CO" has been disabled.' "  
RemoveAllSWTimers(): global list is empty  
Media connect status is disconnected  
CRampartDoc::OnCloseDocument() returned successfully: handle = 0x00153040  
RemoveAllSWTimers(): global list is empty  
MonitorIPThread(): kill event seen - exiting normally.  
Loaded IPHLPAPI.DLL - Will use when appropriate  
Failed to get the GetAdaptersAddresses process address  
Warning: Failed to get the SnmpExtensionQueryEx process address  
Warning: Failed to get the SnmpExtensionClose process address  
CRampartDoc::OnNewDocument  
[0]<C:\Documents and Settings\Administrator\Application Data\SonicWALL\SonicWALL Global  
VPN Client\SonicWALL Global VPN Client.rcf>: File exist  
The configuration file has been decrypted  
[0]<C:\Documents and Settings\Administrator\Application Data\SonicWALL\SonicWALL Global  
VPN Client\SonicWALL Global VPN Client.rcf>: Successfully processed  
[0]<C:\Documents and Settings\Administrator\Application Data\SonicWALL\SonicWALL Global  
VPN Client\SonicWALL Global VPN Client.rcf>: USING\_CERTS defined  
CRampartDoc::OnSaveDocument  
EncryptData()...  
EncryptData()...  
EncryptData()...  
EncryptData()...  
Establishing a connection to CATS CO  
RemoveAllSWTimers(): global list is empty  
SetConnectState( TRUE )  
Media connect status set to connected  
IsLinkAvailable(): Link up seen on interface 0x01000004  
CConnection::GetPeer(): ip=69.215.65.113: mac=00:18:C0:57:24:25  
AddPeerIPRoute(): Creating route table entry:  
Interface Index: 0x01000004  
Destination: 69.215.65.113  
Mask: 255.255.255.255  
Next Hop: 192.168.15.1  
Type: 3  
Proto: 3  
Metric: 1  
AddPeerIPRoute(): About to add PDB entry to driver  
RemoveAllSATimers(): global list specified is empty

CIIsakmpSocket::Register(): Added CSA 0x0104E418 to the list  
CIIsakmpSocket::Register(): Added CSA 0x0104E418 to the list  
AddSATimer(): created entry 0x01046FC8, handle = 0x10000001 (timeout = 5)  
SetConnectState( TRUE )  
Media connect status set to connected  
Media connect status is connected  
SetConnectState(): Ignoring request to disconnect media state  
OnLogMessage(): 'SonicWALL Global VPN Client version 4.0.0.800' "  
OnLogMessage(): 'The connection "CATS CO" has been enabled.' "  
OnLogMessage(): 'Starting ISAKMP phase 1 negotiation.' '69.215.65.113'  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
DeleteSATimer(): matched entry 0x01046FC8 - deleting  
AddSATimer(): created entry 0x01046FC8, handle = 0x10000002 (timeout = 28740)  
AddSATimer(): created entry 0x010471A0, handle = 0x10000003 (timeout = 28800)  
OnLogMessage(): 'Starting aggressive mode phase 1 exchange.' '69.215.65.113'  
OnLogMessage(): 'NAT Detected: Local host is behind a NAT device.' '69.215.65.113'  
OnLogMessage(): 'The SA lifetime for phase 1 is 28800 seconds.' '69.215.65.113'  
OnLogMessage(): 'Phase 1 has completed.' '69.215.65.113'  
CPhase1SA::ProcessIsakmp() - Cleaning up (0x00000006 <- 0x00000800)  
RemoveAllSATimers(): matched entry 0x01046FC8 - deleting  
RemoveAllSATimers(): matched entry 0x010471A0 - deleting  
CIIsakmpSocket::Unregister(): matched entry 0x0104E418 - deleting  
CIIsakmpSocket::Unregister(): matched entry 0x0104E418 - deleting  
RemoveAllSATimers(): global list specified is empty  
OnLogMessage(): 'Received XAuth request.' '69.215.65.113'  
OnLogMessage(): 'XAuth has requested a username but one has not yet been specified.' '69.215.65.113'  
OnLogMessage(): 'Sending phase 1 delete.' '69.215.65.113'  
OnLogMessage(): 'User authentication information is needed to complete the connection.'  
'69.215.65.113'  
CIIsakmpSocket::OnReceive(): No CSA consumed the packet  
OnLogMessage(): 'An incoming ISAKMP packet from 69.215.65.113 was ignored.' "  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling MonitorIP

SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
IsLinkAvailable(): Link up seen on interface 0x01000004  
AddPeerIPRoute(): Creating route table entry:  
  Interface Index: 0x01000004  
  Destination: 69.215.65.113  
  Mask: 255.255.255.255  
  Next Hop: 192.168.15.1  
  Type: 3  
  Proto: 3  
  Metric: 1  
AddPeerIPRoute(): About to add PDB entry to driver  
RemoveAllSATimers(): global list specified is empty  
CIsakmpSocket::Register(): Added CSA 0x0104EC48 to the list  
CIsakmpSocket::Register(): Added CSA 0x0104EC48 to the list  
AddSATimer(): created entry 0x01046FC8, handle = 0x10000004 (timeout = 5)  
OnLogMessage(): 'Starting ISAKMP phase 1 negotiation.' '69.215.65.113'  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
DeleteSATimer(): matched entry 0x01046FC8 - deleting  
AddSATimer(): created entry 0x01046FC8, handle = 0x10000005 (timeout = 28740)  
AddSATimer(): created entry 0x0104B6D0, handle = 0x10000006 (timeout = 28800)  
OnLogMessage(): 'Starting aggressive mode phase 1 exchange.' '69.215.65.113'  
OnLogMessage(): 'NAT Detected: Local host is behind a NAT device.' '69.215.65.113'  
OnLogMessage(): 'The SA lifetime for phase 1 is 28800 seconds.' '69.215.65.113'  
OnLogMessage(): 'Phase 1 has completed.' '69.215.65.113'  
AddSATimer(): created entry 0x009BC440, handle = 0x10000007 (timeout = 3)  
OnLogMessage(): 'Received XAuth request.' '69.215.65.113'  
OnLogMessage(): 'Sending XAuth reply.' '69.215.65.113'  
DeleteSATimer(): matched entry 0x009BC440 - deleting  
OnLogMessage(): 'Received XAuth status.' '69.215.65.113'  
OnLogMessage(): 'Sending XAuth acknowledgement.' '69.215.65.113'  
OnLogMessage(): 'User authentication has succeeded.' '69.215.65.113'  
AddSATimer(): created entry 0x009BC440, handle = 0x10000008 (timeout = 3)  
OnLogMessage(): 'Received request for policy version.' '69.215.65.113'  
OnLogMessage(): 'Sending policy version reply.' '69.215.65.113'  
DeleteSATimer(): matched entry 0x009BC440 - deleting  
AddSPDEntry(0x01048230): spd UID set to 25  
AddSPDEntry(0x01048230): spd UID set to 26  
AddDefaultSPDEntry: default spd UID set to 27  
CPhase2SA::SetPhase1SA(0x01054EC8): phase 1 set to 0x0104EC48  
CIsakmpSocket::Register(): Added CSA 0x01054EC8 to the list

CIIsakmpSocket::Register(): Added CSA 0x01054EC8 to the list  
AddSATimer(): created entry 0x009BC440, handle = 0x10000009 (timeout = 3)  
OnLogMessage(): 'Received policy change is not required.' '69.215.65.113'  
OnLogMessage(): 'Sending policy acknowledgement.' '69.215.65.113'  
OnLogMessage(): 'The configuration for the connection is up to date.' '69.215.65.113'  
OnLogMessage(): 'Starting ISAKMP phase 2 negotiation with 192.168.10.0/255.255.255.0:BOOTPC:  
BOOTPS:UDP.' '69.215.65.113'  
OnLogMessage(): 'Starting quick mode phase 2 exchange.' '69.215.65.113'  
DeleteSATimer(): matched entry 0x009BC440 - deleting  
AddSATimer(): created entry 0x009BC440, handle = 0x1000000A (timeout = 28780)  
AddSATimer(): created entry 0x01040DF8, handle = 0x1000000B (timeout = 28800)  
Media connect status is connected  
CInterface::ReleaseOrRenew(renew): calling request function asynchronously  
OnLogMessage(): 'The SA lifetime for phase 2 is 28800 seconds.' '69.215.65.113'  
OnLogMessage(): 'Phase 2 with 192.168.10.0/255.255.255.0:BOOTPC:BOOTPS:UDP has completed.'  
'69.215.65.113'  
OnLogMessage(): 'Renewing IP address for the virtual interface (00-60-73-E2-BD-4B).'  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2

SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer

SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
OnLogMessage(): 'Failed to renew the IP address for the virtual interface.' "  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer

SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2

SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer

SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2

SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer

SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2

SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
Removing connection to CATS CO  
RemoveAllSATimers(): matched entry 0x009BC440 - deleting  
RemoveAllSATimers(): matched entry 0x01040DF8 - deleting  
CIsakmpSocket::Unregister(): matched entry 0x01054EC8 - deleting  
CIsakmpSocket::Unregister(): matched entry 0x01054EC8 - deleting  
DeleteSADBEntries(): deleting in = 5, out = 6  
RemoveAllSATimers(): matched entry 0x01046FC8 - deleting  
RemoveAllSATimers(): matched entry 0x0104B6D0 - deleting  
CIsakmpSocket::Unregister(): matched entry 0x0104EC48 - deleting  
CIsakmpSocket::Unregister(): matched entry 0x0104EC48 - deleting  
Media connect status is connected  
SetConnectState(): Ignoring request to disconnect media state  
RemoveAllSWTimers(): matched entry 0x00000006 - deleting  
RemoveAllSWTimers(): matched entry 0x00000001 - deleting  
RemoveAllSWTimers(): matched entry 0x00000005 - deleting  
RemoveAllSWTimers(): matched entry 0x00000004 - deleting  
DeleteIPMonitor(): matched entry 0x010450C0 - deleting  
OnLogMessage(): 'Sending phase 2 delete for 192.168.10.0/255.255.255.0.' '69.215.65.113'  
OnLogMessage(): 'Sending phase 1 delete.' '69.215.65.113'  
OnLogMessage(): 'The connection "CATS CO" has been disabled.' "  
Establishing a connection to CATS CO  
RemoveAllSWTimers(): global list is empty  
SetConnectState( TRUE )  
Media connect status set to connected  
IsLinkAvailable(): Link up seen on interface 0x01000004  
CConnection::GetPeer(): ip=69.215.65.113: mac=00:18:C0:57:24:25  
AddPeerIPRoute(): Creating route table entry:

Interface Index: 0x01000004  
Destination: 69.215.65.113  
Mask: 255.255.255.255  
Next Hop: 192.168.15.1  
Type: 3  
Proto: 3  
Metric: 1

AddPeerIPRoute(): About to add PDB entry to driver

RemoveAllSATimers(): global list specified is empty

CIakmpSocket::Register(): Added CSA 0x0104E8C8 to the list

CIakmpSocket::Register(): Added CSA 0x0104E8C8 to the list

AddSATimer(): created entry 0x009BC440, handle = 0x1000000C (timeout = 5)

OnLogMessage(): 'The connection "CATS CO" has been enabled.' "

OnLogMessage(): 'Starting ISAKMP phase 1 negotiation.' '69.215.65.113'

SWTimerCallback(): calling MonitorIP

SWTimerCallback(): MonitorIP returned 2

DeleteSATimer(): matched entry 0x009BC440 - deleting

AddSATimer(): created entry 0x009BC440, handle = 0x1000000D (timeout = 28740)

AddSATimer(): created entry 0x0104A9B8, handle = 0x1000000E (timeout = 28800)

OnLogMessage(): 'Starting aggressive mode phase 1 exchange.' '69.215.65.113'

OnLogMessage(): 'NAT Detected: Local host is behind a NAT device.' '69.215.65.113'

OnLogMessage(): 'The SA lifetime for phase 1 is 28800 seconds.' '69.215.65.113'

OnLogMessage(): 'Phase 1 has completed.' '69.215.65.113'

CPhase1SA::ProcessIsakmp() - Cleaning up (0x00000006 <- 0x00000800)

RemoveAllSATimers(): matched entry 0x009BC440 - deleting

RemoveAllSATimers(): matched entry 0x0104A9B8 - deleting

CIakmpSocket::Unregister(): matched entry 0x0104E8C8 - deleting

CIakmpSocket::Unregister(): matched entry 0x0104E8C8 - deleting

RemoveAllSATimers(): global list specified is empty

OnLogMessage(): 'Received XAuth request.' '69.215.65.113'

OnLogMessage(): 'XAuth has requested a username but one has not yet been specified.' '69.215.65.113'

OnLogMessage(): 'Sending phase 1 delete.' '69.215.65.113'

OnLogMessage(): 'User authentication information is needed to complete the connection.'

'69.215.65.113'

CIakmpSocket::OnReceive(): No CSA consumed the packet

OnLogMessage(): 'An incoming ISAKMP packet from 69.215.65.113 was ignored.' "

SWTimerCallback(): calling MonitorIP

SWTimerCallback(): MonitorIP returned 2

SWTimerCallback(): calling MonitorIP

SWTimerCallback(): MonitorIP returned 2

SWTimerCallback(): calling MonitorIP

SWTimerCallback(): MonitorIP returned 2

SWTimerCallback(): calling MonitorIP

SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
IsLinkAvailable(): Link up seen on interface 0x01000004  
AddPeerIPRoute(): Creating route table entry:  
  Interface Index: 0x01000004  
  Destination: 69.215.65.113  
  Mask: 255.255.255.255  
  Next Hop: 192.168.15.1  
  Type: 3  
  Proto: 3  
  Metric: 1  
AddPeerIPRoute(): About to add PDB entry to driver  
RemoveAllSATimers(): global list specified is empty  
CIsakmpSocket::Register(): Added CSA 0x0104E8C8 to the list  
CIsakmpSocket::Register(): Added CSA 0x0104E8C8 to the list  
AddSATimer(): created entry 0x009BC440, handle = 0x1000000F (timeout = 5)  
OnLogMessage(): 'Starting ISAKMP phase 1 negotiation.' '69.215.65.113'  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SATimerCallback(): entry 0x009BC440, uid 0x1000000F expired  
AddSATimer(): created entry 0x0105AEB0, handle = 0x10000010 (timeout = 8)  
DeleteSATimer(): matched entry 0x009BC440 - deleting  
DeleteSATimer(): reference count not 0 (1) - marking entry 0x009BC440 for deletion  
DereferenceSATimer(): reference count hit 0 - deleting entry 0x009BC440  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
DeleteSATimer(): matched entry 0x0105AEB0 - deleting  
AddSATimer(): created entry 0x0105AEB0, handle = 0x10000011 (timeout = 28740)  
AddSATimer(): created entry 0x009BC440, handle = 0x10000012 (timeout = 28800)  
OnLogMessage(): 'Starting aggressive mode phase 1 exchange.' '69.215.65.113'  
OnLogMessage(): 'NAT Detected: Local host is behind a NAT device.' '69.215.65.113'  
OnLogMessage(): 'The SA lifetime for phase 1 is 28800 seconds.' '69.215.65.113'  
OnLogMessage(): 'Phase 1 has completed.' '69.215.65.113'  
AddSATimer(): created entry 0x010471D8, handle = 0x10000013 (timeout = 3)  
OnLogMessage(): 'Received XAuth request.' '69.215.65.113'  
OnLogMessage(): 'Sending XAuth reply.' '69.215.65.113'  
DeleteSATimer(): matched entry 0x010471D8 - deleting  
OnLogMessage(): 'Received initial contact notify.' '69.215.65.113'

OnLogMessage(): 'Received XAuth status.' '69.215.65.113'  
OnLogMessage(): 'Sending XAuth acknowledgement.' '69.215.65.113'  
OnLogMessage(): 'User authentication has succeeded.' '69.215.65.113'  
AddSATimer(): created entry 0x010471D8, handle = 0x10000014 (timeout = 3)  
OnLogMessage(): 'Received request for policy version.' '69.215.65.113'  
OnLogMessage(): 'Sending policy version reply.' '69.215.65.113'  
DeleteSATimer(): matched entry 0x010471D8 - deleting  
AddSPDEntry(0x01048230): spd UID set to 29  
AddSPDEntry(0x01048230): spd UID set to 30  
AddDefaultSPDEntry: default spd UID set to 31  
CPhase2SA::SetPhase1SA(0x01054B48): phase 1 set to 0x0104E8C8  
CIsakmpSocket::Register(): Added CSA 0x01054B48 to the list  
CIsakmpSocket::Register(): Added CSA 0x01054B48 to the list  
AddSATimer(): created entry 0x010471D8, handle = 0x10000015 (timeout = 3)  
OnLogMessage(): 'Received policy change is not required.' '69.215.65.113'  
OnLogMessage(): 'Sending policy acknowledgement.' '69.215.65.113'  
OnLogMessage(): 'The configuration for the connection is up to date.' '69.215.65.113'  
OnLogMessage(): 'Starting ISAKMP phase 2 negotiation with 192.168.10.0/255.255.255.0:BOOTPC:  
BOOTPS:UDP.' '69.215.65.113'  
OnLogMessage(): 'Starting quick mode phase 2 exchange.' '69.215.65.113'  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
DeleteSATimer(): matched entry 0x010471D8 - deleting  
AddSATimer(): created entry 0x010471D8, handle = 0x10000016 (timeout = 28780)  
AddSATimer(): created entry 0x01046FC8, handle = 0x10000017 (timeout = 28800)  
Media connect status is connected  
CInterface::ReleaseOrRenew(renew): calling request function asynchronously  
OnLogMessage(): 'The SA lifetime for phase 2 is 28800 seconds.' '69.215.65.113'  
OnLogMessage(): 'Phase 2 with 192.168.10.0/255.255.255.0:BOOTPC:BOOTPS:UDP has completed.'  
'69.215.65.113'  
OnLogMessage(): 'Renewing IP address for the virtual interface (00-60-73-E2-BD-4B).'  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2

SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer

SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2

SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP

SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2

SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP

SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2

SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer

SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2

SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
OnLogMessage(): 'Failed to renew the IP address for the virtual interface.' "  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2

SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer

SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2

SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP

SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2

SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer

SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2

SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer

SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling NATKeepAliveTimer  
SWTimerCallback(): NATKeepAliveTimer returned 2  
SWTimerCallback(): calling DPDTimer  
SWTimerCallback(): DPDTimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
SWTimerCallback(): calling MonitorIP  
SWTimerCallback(): MonitorIP returned 2  
SWTimerCallback(): calling CheckNeedISATimer  
SWTimerCallback(): CheckNeedISATimer returned 2  
Removing connection to CATS CO  
RemoveAllSATimers(): matched entry 0x010471D8 - deleting  
RemoveAllSATimers(): matched entry 0x01046FC8 - deleting  
CIsakmpSocket::Unregister(): matched entry 0x01054B48 - deleting  
CIsakmpSocket::Unregister(): matched entry 0x01054B48 - deleting  
DeleteSADBEntries(): deleting in = 7, out = 8  
RemoveAllSATimers(): matched entry 0x0105AEB0 - deleting  
RemoveAllSATimers(): matched entry 0x009BC440 - deleting  
CIsakmpSocket::Unregister(): matched entry 0x0104E8C8 - deleting  
CIsakmpSocket::Unregister(): matched entry 0x0104E8C8 - deleting  
Media connect status is connected  
SetConnectState(): Ignoring request to disconnect media state  
RemoveAllSWTimers(): matched entry 0x0000000C - deleting  
RemoveAllSWTimers(): matched entry 0x0000000A - deleting  
RemoveAllSWTimers(): matched entry 0x00000007 - deleting  
RemoveAllSWTimers(): matched entry 0x0000000B - deleting

DeleteIPMonitor(): matched entry 0x010450C0 - deleting  
OnLogMessage(): 'Sending phase 2 delete for 192.168.10.0/255.255.255.0.' '69.215.65.113'  
OnLogMessage(): 'Sending phase 1 delete.' '69.215.65.113'  
OnLogMessage(): 'The connection "CATS CO" has been disabled.' "  
RemoveAllSWTimers(): global list is empty  
Media connect status is connected  
SetConnectState(): Ignoring request to disconnect media state  
CRampartDoc::OnCloseDocument() returned successfully: handle = 0x00153768  
RemoveAllSWTimers(): global list is empty  
MonitorIPThread(): kill event seen - exiting normally.